

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
+44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

FCC Statement of Compliance

The equipment listed below has been tested and found to comply with the limits for either a Class A or Class B digital device pursuant to Part 15 of the FCC Rules.

FCC, Class A

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference.
- 2) This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when operated in a commercial environment.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the manufacturer's instruction manual, may cause harmful interference with radio communications. Operation of this equipment in a residential area is likely to cause harmful interference, in which case you will be required to correct the interference at your own expense.

Notice: Any modifications made to this device that are not expressly approved by TVOne may void the authority granted to the user by the FCC to operate this equipment.

FCC, Class B

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference.
- 2) This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/television technician for help.

Notice: Any modifications made to this device that are not expressly approved by TVOne may void the authority granted to the user by the FCC to operate this equipment.

Signed:

David M Reynaga

David Reynaga, Chief Technology Officer

06 September 2021

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
1RK-4RU-BASIC-KIT	4RU kit includes Chassis, 6 modules	Class A
1RK-4RU-CHASSIS	4RU chassis	Class A
1RK-4RU-CVR-BLK	4RU blank cover	Class A
1RK-4RU-CVR-PLEXI	4RU windowed cover	Class A
1RK-4RU-FAN	4RU Fan cover	Class A
1RK-4RU-KIT	ONERack 4RU Chassis, 6 modules & 250W PSU	Class A
1RK-4RU-MOD	4RU module plate, 1 module Voltage Selector & 1 rear dock, plus accessories	Class A
1RK-4RU-PSU	ONERack 4RU PSU Sales Kit	Class A
1RK-4RU-PSU-2-HSWP	ONERack Dual Redundant Hot Swap 4RU Main Enclosure	Class B
1RK-5RU-BASIC-KIT	5RU kit includes Chassis, 6 modules	Class A
1RK-5RU-CHASSIS	5RU chassis	Class A
1RK-5RU-CVR-BLK	5RU blank cover	Class A
1RK-5RU-CVR-PLEXI	5RU windowed cover	Class A
1RK-5RU-FAN	5RU Fan cover	Class A
1RK-5RU-KIT	ONERack 5RU Chassis, 6 Modules & 250W PSU	Class A
1RK-5RU-MOD	5RU module plate, 1 module Voltage Selector & 1 rear dock, plus accessories	Class A
1RK-5RU-PSU	ONERack 5RU PSU Sales Kit	Class A
1RK-5RU-PSU-2-HSWP	ONERack Dual Redundant Hot Swap 5RU Main Enclosure	Class B
1RK-6RU-BASIC-KIT	6RU kit includes Chassis, 6 modules	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
1RK-6RU-CHASSIS	6RU chassis	Class A
1RK-6RU-CVR-BLK	6RU blank cover	Class A
1RK-6RU-CVR-PLEXI	6RU windowed cover	Class A
1RK-6RU-FAN	6RU fan cover	Class A
1RK-6RU-KIT	ONERack 6RU Chassis, 6 Modules & 250W PSU	Class A
1RK-6RU-MOD	6RU module plate, 1 module Voltage Selector & 1 rear dock, plus accessories	Class A
1RK-6RU-PSU	ONERack 6RU PSU	Class A
1RK-6RU-PSU-2-HSWP	ONERack Dual Redundant Hot Swap 6RU Main Enclosure	Class B
1RK-FAN-PSU	optional 12v PSU for Fan covers	Class A
1RK-PSU-HSWP	Replacement PSU cartridge for dual-redundant PSU, 450W	Class B
1RK-XTRA-PWR	ONERack Additional Top Power Kit	Class A
1RK-XTRA-RAIL	ONERack Additional Mounting Rail (requd for 2 power units per module)	Class A
1RK-SPDR-HALF-7	ONERack Multi Voltage PSU Half Rack with 7 voltage module slots; 3 voltage modules included	Class A
1RK-SPDR-PWR	Additional voltage selector module for use with ONERack Spider	Class A
1RK-SPDR-STRIP-23	ONERack Multi Voltage PSU Strip with 23 voltage module slots; 10 voltage modules included	Class A
1T-AP-299	Dolby® Digital to Analog Audio Converter	Class A
1T-C2-100	RGB/YPbPr to Video Down Converter with CORIO2 Technology	Class A
1T-C2-150	Down Converter PLUS	Class A
1T-C2-200	Video Scaler	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
1T-C2-250	Video Scaler PLUS	Class A
1T-C2-400	PC/HD Cross Converter	Class A
1T-C2-520	DVI-I to HD-SDI Converter	Class A
1T-C2-750	Dual DVI Scaler PLUS	Class A
1T-CL-322-EU	15x Button control panel - EU version	Class B
1T-CL-322-US	15x Button control panel - US version	Class B
1T-CT-521	Cat.5 Tx - DVI, 250M	Class A
1T-CT-524	Cat.5 Rx - DVI, 100M	Class A
1T-CT-528	Cat.5 Rx - DVI, 250M	Class A
1T-CT-551	Cat.5 Tx - DVI + Audio over HDBaseT, 100M	Class A
1T-CT-552	Cat.5 Rx - DVI + Audio over HDBaseT, 100M	Class A
1T-CT-570	DVI over Fiber Optic Tx/Rx Set	Class A
1T-CT-641	Transmitter: HDMI ver1.3a over Single Cat.5e/6	Class A
1T-CT-642	Receiver: HDMI ver1.3a over Single Cat.5e/6	Class A
1T-CT-647	8-Output Transmitter: HDMI ver1.3a over Single Cat.5e/6 with 8 Cat 5e/6 Outputs	Class A
1T-CT-651	HDMI v1.4 over Single CAT6 TX, RS-232, HDBaseT, HDMI Bypass	Class A
1T-CT-652	HDMI v1.4 over Single CAT6 RX, RS-232, HDBaseT	Class A
1T-CT-653	HDMI v1.4 over Single CAT6 TX, RS-232, HDBaseT, LAN, IR, PoE Support	Class A
1T-CT-654	HDMI v1.4 over Single CAT6 RX, RS-232, HDBaseT, LAN, IR, PoE Support	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
1T-CT-654A	HDMI to CAT5e/6 with LAN/IR/RS-232/selectable PoE	Class A
1T-DA-472	Distribution Amp - 1x2 RGBHV & Stereo	Class A
1T-DA-474	Distribution Amp - 1x4 RGBHV & Stereo	Class A
1T-DA-652	1x2 HDMI v1.3 DA	Class A
1T-DA-654	1x4 HDMI v1.3 DA	Class A
1T-DA-658	1x8 HDMI v1.3 DA	Class A
1T-DA-672	1x2 HDMI v1.4 DA. Max Res 4Kx2K/30 Hz, 1080p 60 Hz	Class A
1T-DA-674	1x4 HDMI v1.4 DA. Max Res 4Kx2K/30 Hz, 1080p 60 Hz	Class A
1T-DA-678	1x8 HDMI v1.4 DA. Max Res 4Kx2K/30 Hz, 1080p 60 Hz	Class A
1T-DVI-HDMI	DVI & Digital Audio to HDMI Converter	Class A
1T-EDID-11	EDID/CEC Selector	Class A
1T-FC-326	HDMI to Component Format Converter	Class A
1T-FC-425	DVI to RGBHV/YPbPr Format Converter	Class A
1T-FC-524	RGBHV/YPbPr to DVI Format Converter	Class A
1T-FC-677	3G-SDI to HDMI Converter	Class A
1T-FC-766	HDMI to 3G-SDI Converter	Class A
1T-MV-8474	4K Multiviewer that supports HDMI, DisplayPort, VGA + analogue and digital audio	Class B
1T-MX-6344	Matrix Router - 4x4 HDMI v1.3	Class A
1T-PAL-NTSC-GL	Standards Converter with Genlock	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
1T-PAL-NTSC-GL-V1.4A	Standards Converter with Genlock - with Firmware Version 1.4a	Class A
1T-PC1280HD	PC/HDTV to PC/HDTV Converter	Class A
1T-PCDVI-PCDVI	PC, YUV, YPBPR, DVI Scaler	Class A
1T-SX-632	2x1 HDMI v1.3 Switcher	Class A
1T-SX-634	4x1 HDMI v1.3 Switcher	Class A
1T-SX-654	4x1 4K60 HDMI 2.0 switcher with HDCP 2.2	Class B
1T-SX-654-B1	HDMI Switcher (4x1)	Class B
1T-TBC	Time Base Corrector	Class A
1T-TG-620	Test Generator - HDMI	Class A
1T-TG-DVI	Test Generator - PC/HD DVI	Class A
1T-V1280DVI	Video to DVI Converter	Class A
1T-V1280HD	Video to PC & HDTV Converter	Class A
1T-VGA-412	1x2 RGBHV DA - 500MHz	Class B
1T-VGA-414	1x4 RGBHV DA - 500MHz	Class B
1T-VGA-DVI	VGA to DVI Converter/Scaler	Class A
1T-VS-434	PC/HD to PC/HD Scaler	Class A
1T-VS-622	Video to HDMI Scaler	Class A
1T-VS-624	RGB to HDMI Scaler	Class A
1T-VS-626	HDMI Scaler with Audio Breakout & Delay	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
1T-VS-647	3G-SDI to HDMI Scaler with Loophtru and Audio Out	Class A
1T-VS-668	HDMIx3, VGAX3, YUVx1, CVx1 to HDMI/VGA scaling switch w/audio	Class A
120R1415-01	Mondo Input Card	Class A
120R1415-01-FF	Mondo Input Card	Class A
120R1416-01	Mondo Output Card	Class A
120R1416-01-FF	Mondo Output Card	Class A
120R1436-01	MONDO Via Input Mother PCB	Class A
120R1454-01	MONDO III RELAY CARD	Class A
120R1455-01	MONDO III USB MODULE	Class A
2211045-01	Mini Dense Pack Rack Mount 1U Universal Power Supply with 5VDC and 12VDC, Status (inactive)	Class A
2211045-02	Mini Dense Pack Rack Mount 1U Universal Power Supply with 5VDC and 12VDC Status, V2.00	Class A
2211061-01	Mondo TC: 3U, Rack-mountable touch-screen controller for Mondo III. Configurable	Class A
2211078-02	HD-One LX - HDMI Video and Audio Extension Kit; Includes Tx, Rx, and (2) universal PSUs	Class A
2211079-03	HD-One DX - HDMI Video and Audio Extension Kit; Includes Tx, Rx, and (2) universal PSUs	Class A
2211088-01	8-port fiber I/O Simplex card, NO HDCP, Simplex (One-Way) RS-232 /w 8 MMF SFP's / (Matrix-I/O 8x) - Voyager Matrix	Class A
2211089-01	8-port fiber I/O Duplex card, HDCP, Duplex (Two-Way) RS-232 /w 8 MMF SFP's / (Matrix-I/O HDCP/RS-232) - Voyager Matrix	Class A
2211093-02	HD-One DX TX - HDBaseT HDMI Video and Audio Extension Transmitter; Includes Tx & PSU	Class A
2211094-02	HD-One DX RX - HDBaseT HDMI Video and Audio Extension Receiver; Includes Rx & PSU	Class A
2211095-02	HDMI Video and Audio Extension Kit; HD-One LX, Tx	Class B

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
2211096-02	HDMI Video and Audio Extension Kit; HD-One LX, Rx	Class B
2211107-01	Compact Format 2-Port transmitter with HDMI/DVI (HDCP); Requires CF-18 chassis One MMF SFP Included / (CF-HDMI-TX2)	Class A
2211108-01	Compact Format Standalone 2-Port transmitter with HDMI/DVI (HDCP) CF-18 chassis / (CFS-HDMI-TX2)	Class A
2211109-01	Compact Format 2-Port receiver with HDMI/DVI (HDCP); Requires CF-18 chassis One MMF SFP Included / (CF-HDMI-RX2)	Class A
2211110-01	Compact Format Standalone 2-Port receiver with HDMI/DVI (HDCP) CF-18 chassis not / (CFS-HDMI-RX2)	Class A
2211111-01	Compact Format chassis. Holds & powers 18 CF Transmitter cards in 4U / (CF-18 Chassis)	Class A
2211113-01	HD-One LX500 - HDMI Video and Audio Extension Kit; Includes Tx, Rx, and (2) univ	Class A
2211114-02	HD-One DX500 - HDMI Video and Audio Extension Kit; Includes Tx, Rx, (2) univ PSU	Class A
2211121-01	Sales Kit, HD-One DX500, Tx	Class A
2211122-01	Sales Kit, HD-One DX500, Rx	Class A
2211123-01	HDMI Video and Audio Extension Kit; HD-One LX500 Tx	Class A
2211124-01	HDMI Video and Audio Extension Kit; HD-One LX500 Rx	Class A
221R1029-01	MultiView 9D 1x9 CAT5 Distribution Amplifier (incl power supply)	Class A
222R3001-16x16	Mondo Matrix 16x16, 1 frame, 4U	Class A
222R3001-16X32	Mondo Matrix 16x32, 2 frames, 8U	Class A
222R3001-16X48	Mondo Matrix 16x48, 3 frames, 12U	Class A
222R3001-16X64	Mondo Matrix 16x64, 4 frames, 16U	Class A
222R3001-16X80	Mondo Matrix 16x80, 5 frames, 20U	Class A
222R3001-32X16	Mondo Matrix III 32x16, 1 frame, 4U	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
222R3001-32X32	Mondo Matrix III 32x32, 2 frame, 4U	Class A
222R3001-32x48	Mondo Matrix III 32x48, 3 frames, 12U	Class A
222R3001-32X64	Mondo Matrix III 32x64, 4 frames, 16U	Class A
222R3001-48X16	Mondo Matrix III 48x16, 1 frame, 4U	Class A
222R3001-48X32	Mondo Matrix III 48x32, 2 frames, 8U	Class A
222R3001-48X48	Mondo Matrix III 48x48, 3 frames, 12U	Class A
222R3001-48X64	Mondo Matrix III 48x64, 4 frames, 12U	Class A
222R3001-64X128	Mondo Matrix III 64x128, 8 frames, 32U	Class A
222R3001-64X16	Mondo Matrix III 64x16, 1 frame, 4U	Class A
222R3001-64X32	Mondo Matrix III 64x32, 2 frames, 8U	Class A
222R3001-64X48	Mondo Matrix III 64x48, 3 frames, 8U	Class A
222R3001-64X64	Mondo Matrix III 64x64, 4 frames, 8U	Class A
222R3001-64X80	Mondo Matrix III 64x80, 5 frames, 20U	Class A
2310001-01	2-port transmitter with HDMI (HDCP); One MMF SFP Included / (VG-TX2-MM HDMI)	Class A
2310002-01	2-port transmitter with DVI (HDCP); One MMF SFP Included / (VG-TX2-MM DVI)	Class A
2310003-01	2-port transmitter with VGA/S-VIDEO/YUV/C; One MMF SFP Included / (VG-TX2-MM-VGA)	Class A
2310005-01	2-port transmitter with Audio & RS-232(No Video); One MMF SFP Included / (VG-TX2-MM ISA)	Class A
2310006-01	2-port transmitter with HDMI (HDCP), Audio & RS-232; One MMF SFP Included / (VG-TX2-MM HDMI-ISA)	Class A
2320001-01	2-port receiver with HDMI (HDCP); One MMF SFP Included / (VG-RX-MM HDMI)	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
2320007-01	2-port receiver with HDMI (HDCP), Audio & RS-232; One MMF SFP Included / (VG-RX-MM HDMI-ISA)	Class A
2350101-MM	M/M USB CPU Transceiver / (UDM-USB-CPU) (inactive)	Class B
2350101-SM	S/M USB CPU Transceiver / (UDM-USB-CPU) (inactive)	Class B
2350201-MM	M/M USB Remote Transceiver / (UDM-USB-REM) (inactive)	Class B
2350201-SM	S/M USB Remote Transceiver / (UDM-USB-REM) (inactive)	Class B
2350500-MM	M/M USB Transceivers Kit / (UDM-USB-KIT)	Class B
2350500-SM	S/M USB Transceivers Kit / (UDM-USB-KIT) (inactive)	Class B
2390003-01	Voyager TX-HDMI	Class A
2620001-02	MultiView II STx Transmitter	Class A
2620002-03	MultiView II XRTx-A Universal Transmitter	Class A
2620003-02	MultiView II T4-A Four Port Transmitter	Class B
2620006-02	MV II AK600DP-A RX	Class A
2620006-03	Multiview II AK600DP-S/A, Video, Summed Audio, Simplex Serial	Class A
2620007-02	MV II AK600DP-A RX w/AkuComp II	Class A
2620007-03	Multiview II AK600DP-S/A, Video, Summed Audio, Simplex Serial with AKU Comp II S	Class A
2620009-02	MultiView II AK1200DP-A Receiver with UTP out daisy chain port and AkuComp II	Class A
2620009-03	Multiview II AK1200DP-S/A, Video, Summed Audio, Simplex Serial with AKU Comp II	Class A
2620063-02	MultiView II DVI-Tx-S/A	Class A
2620066-02	MultiView II DVI-Tx-SAP	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
4002910-01	VGA-RGB Adapter, converts standard 15-pin VGA to RGSB BNC	Class A
400R3821-03	MONDO III Replacement PSU, 600 v - Self Install	Class A
8430033-00	BOX SET VOY TX and RX Core	N/A
A2-7302	AES-3id on XLR Format Converter 8-in 8-out	Class A
A2-7322	Analog Stereo on Terminals Format Converter 8-in 8-out	Class A
A2-7342	Analog Stereo on XLR Format Converter 4-in 4-out	Class A
AP-299	Dolby Digital to Analog Audio Converter	Class A
AP-311-EU	Audio Volume Leveller (inc. Euro PSU)	Class A
AP-311-UK	Audio Volume Leveller (inc. UK PSU)	Class A
AP-411	Audio Delay	Class A
AP-536	HDMI Audio Extractor	Class A
AVT-1660	Standards Converter - Digital	Class A
AVT-3155A	Computer to Video Down Converter	Class A
AVT-3320	Up Converter - Video to UXGA	Class A
AVT-3320-UK	Up Converter - Video to WXGA (inc. UK type PSU)	Class A
AVT-3350	Up converter - Video to UXGA, 1080p	Class A
AVT-3350-EU	Up converter - Video to UXGA, 1080p (inc. Euro type PSU)	Class A
AVT-3350-UK	Up converter - Video to UXGA, 1080p (inc. UK type PSU)	Class A
AVT-4714	1x4 DA - C-Video - Stereo Audio	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
AVT-6071	8-Multi-format Input HDMI Switcher/Up Converter	Class A
AVT-8120	Quad Splitter	Class A
AVT-8710	Time Base Corrector	Class A
C2-1150	Down Converter PLUS	Class A
C2-1250-UTP	Switcher Scaler PLUS With UTP(CAT5) Output	Class A
C2-1350	Universal Switcher/Scaler (approaching EOL)	Class A
C2-2100A	Down Converter w/DVI (approaching EOL)	Class A
C2-2105A	Down Converter w/DVI & HD-SDI (inactive)	Class A
C2-2205A	Switcher Scaler w/DVI & HD-SDI (inactive)	Class A
C2-2250A	Switcher Scaler PLUS w/DVI (inactive)	Class A
C2-2255A	Switcher Scaler PLUS w/DVI & HD-SDI (inactive)	Class A
C2-2350A	Universal Switcher Scaler w/DVI (inactive)	Class A
C2-2355A	Universal Switcher Scaler w/DVI & HD-SDI (inactive)	Class A
C2-2375A	Universal 3G Up/Down/Cross Converter w/Audio Processing. Max HD-SDI 1080p/60 (3G). Inputs: 1x 3G/HD/SD-SDI, 2x DVI-U (DV	Class A
C2-2375A-DP1	C2-2375A Scaler Dual power supply Variant	Class A
C2-2375A-DP2	C2-2375A Scaler Dual power supply Dual Inlet Variant	Class A
C2-2450A	Edge Blender w/DVI	Class A
C2-2655	C2-2655 Scan Converter Plus	Class B
C2-2755	C2-2755 Video Scaler Plus	Class B

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
C2-2855	C2-2855 Universal Scaler Plus	Class B
C2-6104A	CORIOview DVI-U Multiviewer	Class A
C2-6104A-T	CORIOview DVI-U Multiviewer With tally board fitted	Class A
C2-6204	CORIOview 3G-SDI Multiviewer	Class A
C2-6204-T	CORIOview 3G-SDI Multiviewer With Tally Board	Class A
C2-8110	6x DVI-U In, 2x DVI-U Out	Class A
C2-8110-DP1	6x DVI-U In, 2x DVI-U Out Dual Power	Class A
C2-8110-I	6x DVI-U In, 2x DVI-U Out	Class A
C2-8120	8x DVI-U In, 2x DVI-U Out	Class A
C2-8120-DP1	8x DVI-U In, 2x DVI-U Out Dual Power	Class A
C2-8130	12x DVI-U In, 2x DVI-U Out	Class A
C2-8130-DP1	12x DVI-U In, 2x DVI-U Out Dual Power	Class A
C2-8160	10x DVI-U In, 2x DVI-U Out, plus AES3-id Audio Interface	Class A
C2-8160-DP1	10x DVI-U In, 2x DVI-U Out plus AES3-id Audio Dual Power	Class A
C2-8210	8x DVI-U & 2x 3G-SDI In, 2x DVI-U & 2x 3G-SDI Out	Class A
C2-8210-DP1	8x DVI-U & 2x 3G-SDI In, 2x DVI-U & 2x 3G-SDI Out Dual Power	Class A
C2-8260	6x DVI-U & 2x 3G-SDI In, 2x DVI-U & 2x 3G-SDI Out, plus AES3-id Audio	Class A
C2-8260-DP1	6x DVI-U & 2x 3G-SDI In, 2x DVI-U & 2x 3G-SDI Out, plus AES3-id Audio Dual Pwr	Class A
C3-310	CORIOmatrix 1RU Chassis	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
C3-340	CORIOmatrix Chassis	Class A
C3-440	CORIOmatrix MX Chassis	Class A
C3-503	CORIOmaster micro Chassis	Class B
C3-510	CORIOmaster 1RU Chassis	Class A
C3-540	CORIOmaster Chassis	Class A
CM-3GSDI-2IN	CORIOmodule 3G SDI 2 input	Class A
CM-3GSDI-2IN-FF	CORIOmodule 3G SDI 2 input (Factory Fit)	Class A
CM-3GSDI-SC-2OUT	CORIOmodule 3G SDI 2 output (with Scaler CORIO3)	Class A
CM-3GSDI-SC-2OUT-FF	CORIOmodule 3G SDI 2 output (with Scaler CORIO3) - Factory Fit	Class A
CM-3GSDI-X-2IN	CORIOmodule 3G SDI 2 input for CORIOmatrix	Class A
CM-3GSDI-X-2IN-FF	CORIOmodule 3G SDI 2 input for CORIOmatrix (Factory Fit)	Class A
CM-3GSDI-X-4IN	CORIOmodule 3G SDI 4 input for CORIOmatrix	Class A
CM-3GSDI-X-4IN-FF	CORIOmodule 3G SDI 4 input for CORIOmatrix (Factory Fit)	Class A
CM-3GSDI-XSC-2OUT	CORIOmodule 3G SDI 2 output (with Scaler CORIO2)	Class A
CM-3GSDI-XSC-2OUT-FF	CORIOmodule 3G SDI 2 output (with Scaler CORIO2) - Factory Fit	Class A
CM-4RPS	Redundant PSU for 4RU Series Units - User Installable	Class B
CM-4RPS-FF	Redundant PSU for 4RU Series Units - Factory Fit	Class B
CM-AUD-2IN-4OUT	Audio I/O module - 1x analog and 1x S/PDIF In, 4x S/PDIF and 1x Analog Out via Terminal block (Packaged)	Class B
CM-AUD-2IN-4OUT-FF	Audio I/O module - 1x analog and 1x S/PDIF In, 4x S/PDIF and 1x Analog Out via Terminal block (Factory Fit)	Class B

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
+44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
CM-AUD-8IN-8OUT	Audio Interface Module: 8x Ins and 8x Outs via HD-44 Connector (Packaged)	Class A
CM-AUD-8IN-8OUT-FF	Audio Interface Module: 8x Ins and 8x Outs via HD-44 Connector Factory Fit)	Class A
CM-AVIP-IN-1USB-1ETH	CORIOmodule 4K Media Streaming Input (Packaged)	Class B
CM-AVIP-IN-1USB-1ETH-128	CORIOmodule 4K Media Streaming Input 128GB (Packaged)	Class B
CM-AVIP-IN-1USB-1ETH-128-FF	CORIOmodule 4K Media Streaming Input 128GB (Factory Fit)	Class B
CM-AVIP-IN-1USB-1ETH-FF	CORIOmodule 4K Media Streaming Input (Factory Fit)	Class B
CM-C3-540-CPU-HTTPS	CORIOmaster (C3-540) secure communications (https) CPU module	Class A
CM-C3-510-CPU-HTTPS	CORIOmaster mini (C3-510) secure communications (https) CPU module	Class A
CM-C3-503-CPU-HTTPS	CORIOmaster micro (C3-503) secure communications (https) CPU module	Class A
CM-DVI-I-MON-2OUT	Output Module (Monitoring): 2x DVI-I Connectors (Packaged)	Class A
CM-DVI-I-MON-2OUT-FF	Output Module (Monitoring): 2x DVI-I Connectors (Factory Fit)	Class A
CM-DVI-I-SC-2OUT	Output Module with Scaling: 2x DVI-I (Packaged)	Class A
CM-DVI-I-SC-2OUT-FF	Output Module with Scaling: 2x DVI-I (Factory Fit)	Class A
CM-DVI-I-XSC-2OUT	Output Module with Scaling for CORIOmatrix only 2x DVI-I (Packaged)	Class A
CM-DVI-I-XSC-2OUT-FF	Output Module with Scaling for CORIOmatrix only 2x DVI-I (Factory Fit)	Class A
CM-DVIU-2IN	Input module: Dual 2x DVI-U (DVI, HDMI, RGB/YUV, CV, YC) via DVI-I (Packaged)	Class A
CM-DVIU-2IN-FF	Input module: Dual 2x DVI-U (DVI, HDMI, RGB/YUV, CV, YC) via DVI-I (Factory Fit)	Class A
CM-DVIU-MON-2OUT	Output Module (Monitoring): 2x DVI-U via DVI-I Connectors (Packaged)	Class A
CM-DVIU-SC-2OUT	Output Module - With Scaling - 2x DVI-U via DVI-I	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
CM-DVIU-X-2IN	Input module: Dual 2x DVI-U (DVI, HDMI, RGB/YUV, CV, YC) via DVI-I (Packaged)	Class A
CM-DVIU-X-2IN-FF	Input module: Dual 2x DVI-U (DVI, HDMI, RGB/YUV, CV, YC) via DVI-I (Factory Fit)	Class A
CM-DVIU-XSC-2OUT	Output Module with Scaling for CORIOmatrix only 2x DVI-U via DVI-I (Packaged)	Class A
CM-DVIU-XSC-2OUT-FF	Output Module with Scaling for CORIOmatrix only 2x DVI-U via DVI-I (Factory Fit)	Class A
CM-HDBT-2IN-1ETH	CORIOmodule HDBT 2-input & Ethernet (Packaged)	Class A
CM-HDBT-2IN-1ETH-FF	CORIOmodule HDBT 2-input & Ethernet Factory Fit	Class A
CM-HDBT-SC-2OUT-1ETH	CORIOmaster HDBaseT 2 scaled outputs and 1 Ethernet (Packaged)	Class A
CM-HDBT-SC-2OUT-1ETH-FF	CORIOmaster HDBaseT 2 scaled outputs and 1 Ethernet (Factory fit)	Class A
CM-HDBT-X-2IN-1ETH	CORIOmodule HDBASET 2 input for CORIOmatrix (Packaged)	Class A
CM-HDBT-X-2IN-1ETH-FF	CORIOmodule HDBASET 2 input for CORIOmatrix (Factory Fit)	Class A
CM-HDBT-XSC-2OUT-1ETH	CORIOmatrix HDBaseT 2 scaled outputs and 1 Ethernet (Packaged)	Class A
CM-HDBT-XSC-2OUT-1ETH-FF	CORIOmatrix HDBaseT 2 scaled outputs and 1 Ethernet (Factory fit)	Class A
CM-HDMI-4K-2IN	CORIOmodule HDMI 4K 2-input (Packaged)	Class A
CM-HDMI-4K-2IN-FF	CORIOmodule HDMI 4K 2-input (Factory Fit)	Class A
CM-HDMI-SC-4OUT	CORIOmaster HDMI 1080P 4-Output (Packaged)	Class A
CM-HDMI-SC-4OUT-FF	CORIOmaster HDMI 1080P 4-Output (Factory Fit)	Class A
CM-HDMI-SC-2OUT-KEY	CORIOmaster HDMI 1080P Dual output keying module (Packaged)	Class A
CM-HDMI-SC-2OUT-KEY-FF	CORIOmaster HDMI 1080P Dual output keying module (Factory Fit)	Class A
CM-HDMI-X-4K-2IN	CORIOmodule HDMI 4K 2-input for CORIOmatrix (Packaged)	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
CM-HDMI-X-4K-2IN-FF	CORIOmodule HDMI 4K 2-input for CORIOmatrix (Factory Fit)	Class A
CM-HDMI-X-4IN	CORIOmatrix HDMI 1080P 4-input (Packaged)	Class A
CM-HDMI-X-4IN-FF	CORIOmatrix HDMI 1080P 4-input (Factory Fit)	Class A
CM-HDMI-4K-SC-1OUT	CORIOmaster HDMI 4K 1-output (Packaged)	Class A
CM-HDMI-4K-SC-1OUT-FF	CORIOmaster HDMI 4K 1-output (Factory Fit)	Class A
CM-HDMI-4K-SC-2OUT	CORIOmodule HDMI 4K 2-output (Packaged)	Class A
CM-HDMI-4K-SC-2OUT-FF	CORIOmodule HDMI 4K 2-output (Factory Fit)	Class A
CM-HDMI-XSC-4K-1OUT	CORIOmodule HDMI 4K 1-output for CORIOmatrix (Packaged)	Class A
CM-HDMI-XSC-4K-1OUT-FF	CORIOmodule HDMI 4K 1-output for CORIOmatrix (Factory Fit)	Class A
CM-HDSDI-4IN	Input Module - 4x HD/SD-SDI via BNC	Class A
CM-HDSDI-4IN-FF	Input Module - 4x HD/SD-SDI via BNC (Factory Fit)	Class A
CM-HDSDI-X-4IN	Input Module - 4x HD/SD-SDI via BNC for CORIOmatrix	Class A
CM-HDSDI-X-4IN-FF	Input Module - 4x HD/SD-SDI via BNC for CORIOmatrix (Factory Fit)	Class A
CM2-3GSDI-4IN	CORIOmaster2 module : 3G-SDI input 4x	Class A
CM2-3GSDI-4IN-FF	CORIOmaster2 module : 3G-SDI input 4x	Class A
CM2-4RPS	CORIOmaster2 400W AC Power Supply and mains cable	Class A
CM2-4RPS-FF	CORIOmaster2 400W AC Power Supply and mains cable	Class A
CM2-4RPS-700	CORIOmaster2 700W AC Power Supply and mains cable	Class A
CM2-4RPS-700-FF	CORIOmaster2 700W AC Power Supply and mains cable	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
CM2-547	CORIOmaster2 chassis : 4U High Bandwidth Video Processor (with single PSU and	Class A
CM2-AUD-2IN-3OUT	CORIOmaster2 module : Audio I/O module - Analog (1xIN, 1xOUT), SPDIF (1xIN, 3x	Class A
CM2-AUD-2IN-3OUT-FF	CORIOmaster2 module : Audio I/O module - Analog (1xIN, 1xOUT), SPDIF (1xIN, 3x	Class A
CM2-AVIP-IN-1USB-1ETH-128	CORIOmaster2 module : 4K Media Streaming Input 128GB SSD	Class A
CM2-AVIP-IN-1USB-1ETH-128-FF	CORIOmaster2 module : 4K Media Streaming Input 128GB SSD	Class A
CM2-AVIP-IN-1USB-1ETH-FF	CORIOmaster2 module : 4K Media Streaming Input 16GB SSD	Class A
CM2-BONDING	CORIOmaster2 module : Bonding Module	Class A
CM2-BONDING-FF	CORIOmaster2 module : Bonding Module (Factory Fit)	Class A
CM2-DVIU-2IN	CORIOmaster2 module : DVI-U input 2x (DVI, HDMI, RGB/YUV, CV, YC)	Class A
CM2-DVIU-2IN-FF	CORIOmaster2 module : DVI-U input 2x (DVI, HDMI, RGB/YUV, CV, YC)	Class A
CM2-FILTER	CORIOmaster2 Fan Filter and fixing kit	Class A
CM2-FILTER-FF	CORIOmaster2 Fan Filter, Factory Fit	Class A
CM2-HDBT-2IN-1ETH	CORIOmaster2 module : HDBT input 2x (and Ethernet)	Class A
CM2-HDBT-2IN-1ETH-FF	CORIOmaster2 module : HDBT input 2x (and Ethernet)	Class A
CM2-HDMI-4IN	CORIOmaster2 module : HDMI 1080P input 4x	Class A
CM2-HDMI-4IN-FF	CORIOmaster2 module : HDMI 1080P input 4x	Class A
CM2-HDMI-4K-2IN	CORIOmaster2 module : HDMI 4K input 2x	Class A
CM2-HDMI-4K-2IN-FF	CORIOmaster2 module : HDMI 4K input 2x	Class A
CM2-HDMI-4K-4IN	CORIOmaster2 module : HDMI 4K60 input 4x	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
CM2-HDMI-4K-4IN-FF	CORIOmaster2 module : HDMI 4K60 input 4x	Class A
CM2-HDMI-4K-4OUT	CORIOmaster2 module : HDMI 4K output 4x	Class A
CM2-HDMI-4K-4OUT-FF	CORIOmaster2 module : HDMI 4K output 4x	Class A
CM2-HDMI-HD-8OUT	CORIOmaster2 module : HDMI 1080P output 8x	Class A
CM2-HDMI-HD-8OUT-FF	CORIOmaster2 module : HDMI 1080P output 8x	Class A
CV-3GSDI-2IN-FF	CORIOview 3G SDI 2 input (Factory Fit)	Class A
CV-3GSDI-4IN-FF	CORIOview 3G SDI 4 input (Factory Fit)	Class A
CV-3GSDI-SC-2OUT-FF	CORIOview 3G SDI 2 output (with Scaler CORIO2) - Factory Fit	Class A
CV-AVIP-IN-1USB-1ETH-128-FF	CORIOview 4K Media Streaming Input 128GB (Factory Fit)	Class B
CV-AVIP-IN-1USB-1ETH-FF	CORIOview 4K Media Streaming Input (Factory Fit)	Class B
CV-DVI-I-SC-2OUT-FF	CORIOview Output Module with Scaling: 2x DVI-I (Factory Fit)	Class A
CV-DVIU-2IN-FF	CORIOview Input module: Dual 2x DVI-U (DVI, HDMI, RGB/YUV, CV, YC) via DVI-I (Factory Fit)	Class A
CV-HDBT-2IN-1ETH-FF	CORIOview HDBT 2-input & Ethernet Factory Fit	Class A
CV-HDBT-SC-2OUT-1ETH-FF	CORIOview HDBaseT 2 scaled outputs and 1 Ethernet (Factory fit)	Class A
CV-HDMI-4IN-FF	CORIOview HDMI 1080P 4-input (Factory Fit)	Class A
CV-HDMI-4K-2IN-FF	CORIOview HDMI 4K 2-input (Factory Fit)	Class A
CV-HDMI-4K-SC-1OUT-FF	CORIOview HDMI 4K 1-output (Factory Fit)	Class A
CV-HDMI-4K-SC-2OUT-FF	CORIOview HDMI 4K 2-output (Factory Fit)	Class A
CV-HSDI-4IN-FF	CORIOview Input Module - 4x HD/SD-SDI via BNC (Factory Fit)	Class A

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
ENCODER-100	Single Stream IP Encoder	Class A
LM-404HDA	Quad 4.3" Rackmount HDTV LCD Monitor with Audio	Class A
LM-503HDA	Triple 5" Rackmount HDTV LCD Monitor	Class A
LM-702HDA	Dual 7" Rackmount HDTV LCD Monitor	Class A
MG-AOC-661-10	HDMI 2.0 Active Optical Cable 33ft (10m)	Class B
MG-AOC-661-15	HDMI 2.0 Active Optical Cable 50ft (15m)	Class B
MG-AOC-661-20	HDMI 2.0 Active Optical Cable 66ft (20m)	Class B
MG-AOC-661-25	HDMI 2.0 Active Optical Cable 82ft (25m)	Class B
MG-AOC-661-30	HDMI 2.0 Active Optical Cable 100ft (30m)	Class B
MG-AOC-661-40	HDMI 2.0 Active Optical Cable 131ft (40m)	Class B
MG-AOC-661-50	HDMI 2.0 Active Optical Cable 164ft (50m)	Class B
MG-AOC-661-60	HDMI 2.0 Active Optical Cable 196ft (60m)	Class B
MG-AOC-661-70	HDMI 2.0 Active Optical Cable 230ft (70m)	Class B
MG-AOC-661-100	HDMI 2.0 Active Optical Cable 328ft (100m)	Class B
MG-AOC-881-10	DisplayPort 1.4 Active Optical Cable 33ft (10m)	Class B
MG-AOC-881-15	DisplayPort 1.4 Active Optical Cable 50ft (15m)	Class B
MG-AOC-881-20	DisplayPort 1.4 Active Optical Cable 66ft (20m)	Class B
MG-AOC-881-25	DisplayPort 1.4 Active Optical Cable 82ft (25m)	Class B
MG-AOC-881-30	DisplayPort 1.4 Active Optical Cable 100ft (30m)	Class B

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
MG-AOC-881-40	DisplayPort 1.4 Active Optical Cable 131ft (40m)	Class B
MG-AOC-881-50	DisplayPort 1.4 Active Optical Cable 164ft (50m)	Class B
MG-AOC-881-60	DisplayPort 1.4 Active Optical Cable 196ft (60m)	Class B
MG-AOC-881-70	DisplayPort 1.4 Active Optical Cable 230ft (70m)	Class B
MG-AOC-881-100	DisplayPort 1.4 Active Optical Cable 328ft (100m)	Class B
MG-AOC-662-10	HDMI 2.0 Active Optical Plenum Cable 33ft (10m)	Class B
MG-AOC-662-15	HDMI 2.0 Active Optical Plenum Cable 50ft (15m)	Class B
MG-AOC-662-20	HDMI 2.0 Active Optical Plenum Cable 66ft (20m)	Class B
MG-AOC-662-25	HDMI 2.0 Active Optical Plenum Cable 82ft (25m)	Class B
MG-AOC-662-30	HDMI 2.0 Active Optical Plenum Cable 100ft (30m)	Class B
MG-AOC-662-40	HDMI 2.0 Active Optical Plenum Cable 131ft (40m)	Class B
MG-AOC-662-50	HDMI 2.0 Active Optical Plenum Cable 164ft (50m)	Class B
MG-AOC-662-60	HDMI 2.0 Active Optical Plenum Cable 196ft (60m)	Class B
MG-AOC-662-70	HDMI 2.0 Active Optical Plenum Cable 230ft (70m)	Class B
MG-AOC-662-100	HDMI 2.0 Active Optical Plenum Cable 328ft (100m)	Class B
MG-AOC-663-10	HDMI 2.0 Active Optical LSZH Cable 33ft (10m)	Class B
MG-AOC-663-15	HDMI 2.0 Active Optical LSZH Cable 50ft (15m)	Class B
MG-AOC-663-20	HDMI 2.0 Active Optical LSZH Cable 66ft (20m)	Class B
MG-AOC-663-25	HDMI 2.0 Active Optical LSZH Cable 82ft (25m)	Class B

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
MG-AOC-663-30	HDMI 2.0 Active Optical LSZH Cable 100ft (30m)	Class B
MG-AOC-663-40	HDMI 2.0 Active Optical LSZH Cable 131ft (40m)	Class B
MG-AOC-663-50	HDMI 2.0 Active Optical LSZH Cable 164ft (50m)	Class B
MG-AOC-663-60	HDMI 2.0 Active Optical LSZH Cable 196ft (60m)	Class B
MG-AOC-663-70	HDMI 2.0 Active Optical LSZH Cable 230ft (70m)	Class B
MG-AOC-663-100	HDMI 2.0 Active Optical LSZH Cable 328ft (100m)	Class B
MG-AOC-66P	HDMI 2.0 Power injector; powered via any USB2.0 source	N/A
MG-AOC-882-10	DisplayPort 1.4 Active Plenum Optical Cable 33ft (10m)	Class B
MG-AOC-882-15	DisplayPort 1.4 Active Plenum Optical Cable 50ft (15m)	Class B
MG-AOC-882-20	DisplayPort 1.4 Active Plenum Optical Cable 66ft (20m)	Class B
MG-AOC-882-25	DisplayPort 1.4 Active Plenum Optical Cable 82ft (25m)	Class B
MG-AOC-882-30	DisplayPort 1.4 Active Plenum Optical Cable 100ft (30m)	Class B
MG-AOC-882-40	DisplayPort 1.4 Active Plenum Optical Cable 131ft (40m)	Class B
MG-AOC-882-50	DisplayPort 1.4 Active Plenum Optical Cable 164ft (50m)	Class B
MG-AOC-882-60	DisplayPort 1.4 Active Plenum Optical Cable 196ft (60m)	Class B
MG-AOC-882-70	DisplayPort 1.4 Active Plenum Optical Cable 230ft (70m)	Class B
MG-AOC-882-100	DisplayPort 1.4 Active Plenum Optical Cable 328ft (100m)	Class B
MG-AOC-883-10	DisplayPort 1.4 Active LSZH Optical Cable 33ft (10m)	Class B
MG-AOC-883-15	DisplayPort 1.4 Active LSZH Optical Cable 50ft (15m)	Class B

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
MG-AOC-883-20	DisplayPort 1.4 Active LSZH Optical Cable 66ft (20m)	Class B
MG-AOC-883-25	DisplayPort 1.4 Active LSZH Optical Cable 82ft (25m)	Class B
MG-AOC-883-30	DisplayPort 1.4 Active LSZH Optical Cable 100ft (30m)	Class B
MG-AOC-883-40	DisplayPort 1.4 Active LSZH Optical Cable 131ft (40m)	Class B
MG-AOC-883-50	DisplayPort 1.4 Active LSZH Optical Cable 164ft (50m)	Class B
MG-AOC-883-60	DisplayPort 1.4 Active LSZH Optical Cable 196ft (60m)	Class B
MG-AOC-883-70	DisplayPort 1.4 Active LSZH Optical Cable 230ft (70m)	Class B
MG-AOC-883-100	DisplayPort 1.4 Active LSZH Optical Cable 328ft (100m)	Class B
MG-AOC-66A-10	HDMI 2.0 Watertight Armored Active Optical Cable 33ft (10m)	Class B
MG-AOC-66A-30	HDMI 2.0 Watertight Armored Active Optical Cable 100ft (30m)	Class B
MG-AOC-66A-100	HDMI 2.0 Watertight Armored Active Optical Cable 328ft (100m)	Class B
MG-AOC-88A-10	DisplayPort 1.4 Watertight Armored Active Optical Cable 33ft (10m)	Class B
MG-AOC-88A-30	DisplayPort 1.4 Watertight Armored Active Optical Cable 100ft (30m)	Class B
MG-AOC-88A-100	DisplayPort 1.4 Watertight Armored Active Optical Cable 328ft (100m)	Class B
MG-DA-612	1x2 4K60 HDMI 2.0 Ultra slim Splitter with HDCP 2.2 and down scaling	Class B
MG-DA-614	1x4 4K60 HDMI 2.0 Ultra Slim Splitter with HDCP 2.2 and down scaling	Class B
MG-DA-618	1x8 4K60 HDMI 2.0 Ultra Slim Splitter with HDCP 2.2 and down scaling	Class B
MG-DA-716	1x6 12G SDI Splitter with Reclocking	Class B
MG-CT-612	HDBT Receiver with POH for MG-WP-611 wall plates, HDMI 1.4, RS232, and IR	Class B

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
+44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
MG-KVM-531	DVI KVM fiber TX, supports up to 1920x1200, requires SFP module	Class B
MG-KVM-532	DVI KVM Fiber RX, supports up to 1920x1200, requires SFP module	Class B
MG-KVM-5SM	Singlemode fiber SFP for MG-KVM-53x series (20km)	Class B
MG-KVM-5MM	Multimode fiber SFP for MG-KVM-53x series	Class B
MG-KVM-5CPR	RJ45 1G SFP for MG-KVM-53x series (30m)	Class B
MG-KVM-831	DP1.2 KVM fiber TX, supports up to 4096x2160, requires SFP module	Class B
MG-KVM-832	DP1.2 KVM Fiber RX, supports up to 4096x2160, requires SFP module	Class B
MG-KVM-8SM	Singlemode fiber SFP for MG-KVM-83x series (10km)	Class B
MG-KVM-8MM	Multimode fiber SFP for MG-KVM-83x series	Class B
MG-KVM-8CPR	RJ45 10G SFP for MG-KVM-83x series (30m)	Class B
MVII-DVI-RX-1K-S/A	Multiview II DVI-Rx-1K-S/A & skew with DVI audio embedding support v2.00	Class A
MVII-DVI-RX-1K-SAP	Multiview II DVI-Rx-1K-SAP & Skew v2.00	Class A
MWP-4D-1Y	CORIOview 4xDVI-U in 1x4K out Multi Window Processor	Class B
MWP-4H-1Y	CORIOview 4x1080P HDMI in, 1x4K HDMI out Multi Window Processor	Class B
MWP-4Hi-1Y	CORIOview 4x1080P HDMI in, 1xAVIP in, 1x4K HDMI out Multi Window Processor	Class B
MWP-4Y-1Y	CORIOview 4x4K HDMI in, 1x4K HDMI out Multi Window Processor	Class B
MWP-8GS-1Y	CORIOview 8x3G-SDI in 1x4K HDMI out Multi Window Processor	Class B
MWP-8H-1Y	CORIOview 8x1080P HDMI in 1x4K HDMI out Multi Window Processor	Class B
MWP-MTO	CORIOview Multi Window Processor (I/O made to order)	Class B

TV One Ltd., Unit V, Continental Approach, Westwood Industrial Estate, Margate, Kent CT9 4JG
 +44 (0)1843 873300 phone | +44 (0)1843 873301 fax | info.europe@tvone.com | www.tvone.com

tvONE Product Number	Description	FCC
MX-3141CSVA	4x1 Switcher - CV-SV-Stereo Audio	Class A
MX-3141PCA	4x1 Switcher - RGBHV-YPbPr-Stereo Audio	Class A
MX-5288	Matrix Router - 8x8 DVI-D	Class A
MX-6544	4x4 HDMI 2.0 HDR Matrix Switcher	Class A
MX-6588	1RU 8x8 HDMI 2.0 Matrix supports 4k60 and HDR	Class A
MX-8488	8x8 HDMI over HD-BaseT Matrix Routing Switcher - support IR and POH	Class A
P2-105	Multi 12V Power Supply for up to 5x S2- or C2-units. NOT FOR C2-2855/2755/2655	Class B
S2-105DVIA	5x1 DVI-D Video and Stereo Audio Switcher with C2 Interface (inactive)	Class A
S2-105PCA	5x1 RGB/YPbPr - Stereo Audio Switcher with C2 Interface. (inactive)	Class A
S2-108HD	8x2 SD/HD-SDI Video Switcher (inactive)	Class A
VS-223	YPbPr Component to Video Down Converter	Class A
VS-226	HDMI to Video Down Converter	Class A